

SIGMA WATERWORKS

S122012 SERIES
LIGHT DUTY POLYMER ENCLOSURES

S1221-12 LIGHT DUTY
METER BOX BASE

Drawings





Specifications

Material
UV Stabilized Polypropylene

Color Options
Black, Green, Purple, Blue, Tan

Design Features
- Optional mouse-holes and knockouts for pipe configuration
- Field-modifiable with any cutting tool

Load Rating

Rating
Pedestrian, ASTM C857: Light Duty

Use
For non-vehicular traffic situations only

LIGHT DUTY
Pedestrian Only

For use in non-vehicular traffic situations only. We do not recommend installation in concrete or asphalt.

Coefficient of friction <0.5

Actual load rating is determined by the box and cover combination. Weights and dimensions may vary slightly.


Made in the USA

SIGMA Waterworks
700 Goldman Drive
Cream Ridge, NJ 08514
Phone: 800.999.2550


COVER OPTIONS

FOR S122012 SERIES: LIGHT DUTY

S1221-SLOL- Overlap Cover



S1222-SLFM- Recessed Flush Cover



All Cover Options

Material
UV Stabilized Polypropylene

Color Options
Black, Green, Purple, Blue, Tan

Optional Markings
- ICV
- WATER
- SEWER
- RECLAIM

Design Features
- **Field-modifiable with any cutting tool**

Load Rating

Rating
Pedestrian, ASTM C857: Light Duty

Use
For non-vehicular traffic situations only

LIGHT DUTY
Pedestrian Only

For use in non-vehicular traffic situations only. We do not recommend installation in concrete or asphalt.

Coefficient of friction <0.5

Actual load rating is determined by the box and cover combination. Weights and dimensions may vary slightly.


Made in the USA

SIGMA Waterworks
700 Goldman Drive
Cream Ridge, NJ 08514
Phone: 800.999.2550


COVER OPTIONS

FOR S122012 SERIES: LIGHT DUTY


S1222-SLFMCIR- Recessed Flush Cover



S1222-SLFMR4575- Recessed Flush Cover



S1222-SLFM2R4575- Recessed Flush Cover



Cover Part Numbers
S1221-SLOL Overlap Cover
S1222-SLFM Recessed Flush Cover
S1222-SLFMCIR Recessed Flush Cover
S1222-SLFMR4575 Recessed Flush Cover
S1222-SLFM2R4575 Recessed Flush Cover

LIGHT DUTY
Pedestrian Only

For use in non-vehicular traffic situations only. We do not recommend installation in concrete or asphalt.

Coefficient of friction <0.5

Actual load rating is determined by the box and cover combination. Weights and dimensions may vary slightly.

Made in the USA